

POSTER PRESENTATION

Open Access

Effects of valproate on Tax and HBZ expression in ex vivo cultured ATL cells

Gildas Belrose¹, Hélène Gazon^{1,2}, Jean-Côme Meniane³, Stéphane Olindo⁴, Jean-Michel Mesnard², Jean-Marie Péloponèse², Raymond Césaire^{1*}

From 16th International Conference on Human Retroviruses: HTLV and Related Viruses Montreal, Canada. 26-30 June 2013

Epigenetic drugs are known to regulate expression of tumor suppressor genes and activities of transcriptional factors involved in both cancer initiation and progression. Valproate (VPA) has been shown to enhance Tax expression and block HBZ-mRNA expression in HTLV-1 and HAM/TSP lymphocytes. HBZ is critical for immune escape and proliferation of ATL cells. We evaluated the impact of VPA on Tax, Gag and HBZ expression in ex vivo cultured ATL cells. Samples were obtained from 6 patients with acute ATL, 4 patients with HAM/TSP, and 3 asymptomatic carriers (AC). CD8+-cell-depleted PBMCs were cultured during a week with or without 5mM VPA. HTLV-1 mean proviral loads at day 0 of culture were 58 copies/100 cells, 7 copies/ 100 cells, and 4 copies/100 cells in ATL, HAM/TSP, and AC, respectively. At day 5, mean proviral loads decrease by 2 fold in VPA treated vs. untreated ATL samples. Mean±SD apoptosis at day 1 was 11%±6 in untreated versus 23%±11 in VPA-treated non-ATL samples, and 13%±9 in untreated versus 43%±25 in VPA-treated samples. Tax expression in CD4+ cells, measured by Facs and by qRT-PCR, peaked at day 1 of culture in AC and HAM/TSP samples but not in ATL samples. Tax and gag mRNAs were undetectable during culture of ATL untreated samples, whereas HBZ was expressed. VPA treatment of ATL samples significantly increased Tax and Gag mRNA mean levels, and blocked HBZ mRNA expression. The possibility to target HBZ expression using VPA at therapeutically useful concentrations opens a new way for the treatment of ATL.

Authors' details

¹Laboratoire de Virologie and EA 4537, Centre Hospitalier Universitaire de Fort-de-France, Martinique, France. ²Centre d'Études d'Agents Pathogènes et

Thorough peer review

- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



Full list of author information is available at the end of the article

BioMed Central

Biotechnologies pour la Santé, CNRS UMR 5236, Université Montpellier 1, Université Montpellier 2, Montpellier, France. ³Service d'Hématologie clinique, Centre Hospitalier Universitaire de Fort-de-France, Martinique, France. ¹Service de Neurologie, Centre Hospitalier Universitaire de Fort-de-France, Martinique, France.

Published: 7 January 2014

doi:10.1186/1742-4690-11-S1-P39

Cite this article as: Belrose et al.: Effects of valproate on Tax and HBZ expression in ex vivo cultured ATL cells. Retrovirology 2014 11(Suppl 1):

- Convenient online submission
- No space constraints or color figure charges
- Immediate publication on acceptance

^{*} Correspondence: raymond.cesaire@chu-fortdefrance.fr

¹Laboratoire de Virologie and EA 4537, Centre Hospitalier Universitaire de Fort-de-France, Martinique, France