

ORAL PRESENTATION

Open Access

SQSTM1/p62 regulates HTLV-1 tax mediated NF- κ B activation

Aurélien Schwob^{1,2,3,4,5}, Jean-Louis Palgen^{1,2,3,4,5}, Renaud Mahieux^{1,2,3,4,5}, Chloé Journo^{1,2,3,4,5}*

From 17th International Conference on Human Retroviruses: HTLV and Related Viruses Trois Ilets, Martinique. 18-21 June 2015

HTLV-1-mediated cellular transformation relies on Taxdependent activation of the NF- κ B pathway, which has previously been shown to require Tax poly-ubiquitination and interaction with cellular factors, such as Optineurin (OPTN). The recent identification of OPTN as a selective autophagy receptor sharing high sequence similarities with sequestosome-1 (SQSTM-1/p62), a well-described selective autophagy receptor and NF- κ B signaling adaptor, led us to hypothesize that Tax could hijack selective autophagy receptors for an efficient NF- κ B activation. Using immunoprecipitation and confocal imaging of endogenous SQSTM/p62 in Tax-expressing cells or in HTLV-1 chronically infected T-cell lines, we showed that Tax interacts with SQSTM-1/p62. This interaction was independent of Tax ubiquitination and of the presence of the Tax PDZ-binding motif. Tax-mediated activation of NF- κ B in p62-deficient cells was significantly reduced compared to wild type cells, indicating that SQSTM/p62 is necessary for Tax activity. Surprisingly however, over-expression of SQSTM-1/p62 or induction of autophagy led to a dramatic decrease in the amount of soluble Tax, along with a reduced induction of NF- κ B. This suggests that Tax could be a substrate of selective autophagy. Altogether, our results reveal the double-edged consequences of Tax / SQSTM/p62 interaction, with the potentiation of Tax activity and the induction of Tax sequestration. They highlight the complex relationships that this viral protein has.

Authors' details

¹Équipe Oncogenèse Rétrovirale, Lyon, France. ²Équipe Labellisée (Ligue Nationale Contre le Cancer), Lyon, France. ³Centre International de Recherche en Infectiologie, INSERM U1111-CNRS UMR5308, Lyon, France. ⁴École Normale Supérieure de Lyon, Lyon, France. ⁵Université Lyon 1, LabEx ECOFECT -Eco-evolutionary dynamics of infectious diseases, Lyon, France.

* Correspondence: chloe.journo@ens-lyon.fr

¹Équipe Oncogenèse Rétrovirale, Lyon, France
Full list of author information is available at the end of the article

Published: 28 August 2015

doi:10.1186/1742-4690-12-S1-O38

Cite this article as: Schwob *et al.*: SQSTM1/p62 regulates HTLV-1 tax mediated NF-κB activation. *Retrovirology* 2015 **12**(Suppl 1):O38.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



