



MEETING ABSTRACT

Open Access

HTLV-1 propels thymic human T cell development in “human immune system” Rag2^{-/-} IL-2R γ c^{-/-} Mice

Julien Villaudy¹, Melanie Wencker¹, Nicolas Gadot², Jean-Yves Scoazec², Louis Gazzolo¹, Markus G Manz^{3,4}, Madeleine Duc Dodon^{1*}

From 15th International Conference on Human Retroviruses: HTLV and Related Viruses
Leuven and Gembloux, Belgium. 5-8 June 2011

Alteration of early haematopoietic development is thought to be responsible for the onset of immature leukemias and lymphomas. We have previously shown that HTLV-1 (Human T cell Leukemia Virus type 1) is able not only to infect immature thymocytes *in vitro* but also, through Tax expression, to alter the β -selection checkpoint critical for early T cell development. To further clarify the role of the natural HTLV-1 infection on human T-cell development, we developed an *in vivo* model by transplanting immunocompromised Rag2^{-/-} γ c^{-/-} newborn mice with human cord blood CD34⁺ cells to obtain Human Immune System (HIS) mice. In these mice the development of human T cells in the thymus is fully developed within two months after human cell transplantation. Lethally irradiated HTLV-1 producing cells were then injected into these HIS mice. Herein we observed in the thymus of the infected animals an enlarged population of mature T cells when compared with the mock-infected mice. Furthermore, we noted an increased number of CD4⁺ cells expressing CD25. Infected animals also developed, several weeks after the infection, pathological features such as splenomegaly, adenopathy, thymomas, lymphomas and leukemias in which predominate human T cells, with a large proportion of CD25⁺ activated cells. Tax expression especially in the lymphomas and thymomas correlated with an up-regulation of NF- κ B regulated genes. Altogether, these results underline that this HIS Rag2^{-/-} γ c^{-/-} model might be of great interest to study the

leukemogenic process induced by HTLV-1 as well as to validate new therapeutic approaches of ATL.

Author details

¹Virologie Humaine, INSERM-U758, Ecole Normale Supérieure de Lyon, IFR 128 BioSciences Lyon-Gerland, Lyon, 69364, Cedex 07, France. ²Anipath, UFR Médecine Lyon-RTH Laennec, Lyon, 69372, Cedex 08, France. ³Institute for research in Biomedicine (IRB), Bellinzona, 6500, Switzerland. ⁴Division of Hematology, University and University Hospital Zürich, Zürich, 8091, Switzerland.

Published: 6 June 2011

doi:10.1186/1742-4690-8-S1-A10

Cite this article as: Villaudy et al.: HTLV-1 propels thymic human T cell development in “human immune system” Rag2^{-/-} IL-2R γ c^{-/-} Mice. *Retrovirology* 2011 **8**(Suppl 1):A10.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



* Correspondence: mducdodo@ens-lyon.fr

¹Virologie Humaine, INSERM-U758, Ecole Normale Supérieure de Lyon, IFR 128 BioSciences Lyon-Gerland, Lyon, 69364, Cedex 07, France
Full list of author information is available at the end of the article